	Applicati n No.	Applicant(s)		
	09/989,996	KHALID SHAHZA	KHALID, SHAHZAD	
Notice of Allowability	Examin r	Art Unit	<u></u>	
	Connie C. Yoha	2818		
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in t or other appropriate commun IGHTS. This application is su	this application. If not includication will be mailed in due	ded e course. THIS	
 This communication is responsive to <u>amendment filed 7/21</u> The allowed claim(s) is/are <u>1,2,5-8 and 10-22</u>. The drawings filed on <u>11/20/01</u> are accepted by the Exami Acknowledgment is made of a claim for foreign priority und a) All b) Some* c) None of the: Certified copies of the priority documents have 	iner. der 35 U.S.C. § 119(a)-(d) or (f).		
2. ☐ Certified copies of the priority documents have		No		
3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received:			ation from the	
 5. Acknowledgment is made of a claim for domestic priority ur (a) The translation of the foreign language provisional a 6. Acknowledgment is made of a claim for domestic priority ur 	pplication has been received.			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of t	this communication to file a rethis application. THIS THRE	eply complying with the rec E-MONTH PERIOD IS NO	quirements noted T EXTENDABLE.	
7. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which gives reasonable to the control of the control o	nitted. Note the attached EXANon(s) why the oath or declara	VINER'S AMENDMENT or tion is deficient.	NOTICE OF	
 8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No (b) including changes required by the proposed drawing or (c) including changes required by the attached Examiner's 	correction filed, which	has been approved by the		
Identifying indicia such as the application number (see 37 CFR 1. each sheet.	84(c)) should be written on the	drawings in the front (not th	ne back) of	
9. DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT FOR THE	SIT OF BIOLOGICAL MATER HE DEPOSIT OF BIOLOGICA	RIAL must be submitted. AL MATERIAL.	Note the	
Attachment(s)				
 1 ☐ Notice of References Cited (PTO-892) 3 ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 5 ☑ Information Disclosure Statements (PTO-1449), Paper No. 03 7 ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	4☐ Interview 5 302. 6⊠ Examiner's 8⊠ Examiner's 9☐ Other	nformal Patent Application Summary (PTO-413), Pape s Amendment/Comment s Statement of Reasons for	er No r Allowance	
	Tec	melipha hudogy 28	00	

Application/Control Number: 09/989,996 Page 2

Art Unit: 2818

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Peter A. Gallagher on 9/30/03.

2. The application has been amended as follows:

Claim 1, line 3, delete "lit line". Replace it with --- bit-line ---.

Claim 1, after the last word of the claim, add the following text: --- such that the amplified voltage signal increasingly deviates from the predetermined reference voltage with increasing time ---.

Claim 10, after the last word of the claim, add the following text: --- such that the amplified voltage signal increasingly deviates from the predetermined reference voltage with increasing time ---.

Claim 18, after the last word of the claim, add the following text: --- such that the amplified voltage signal increasingly deviates from the predetermined reference voltage with increasing time ---.

Application/Control Number: 09/989,996 Page 3

Art Unit: 2818

Response to Arguments

 Examiner took notice of the remarks and amendments made by applicant filed on 7/21/03.

Response to Amendment

- 4. This office action is in response to Amendment filed on 7/21/03.
 - Claim 5, 19, 20 and 21 are amended.
 - Claims 3, 4 and 9 are canceled.
- 5. Claims 1-2, 5-8, and 10-22 are pending.

Allowable Subject Matter

6. Claims 1-2, 5-8, and 10-22 are allowed.

Claims 1-2, 5-8, and 10-22 are considered allowable since the prior art made of record and considered pertinent to the applicant's disclosure does not teach or suggest the claimed inventions having a device and method of reconfiguring the pre-charge circuit as an amplifier circuit to amplifying the voltage signal such that the amplified voltage signal increasingly deviates from the predetermined reference voltage with increasing time. Prior art also does not teach or suggest the claimed invention having the pre-charge circuit to includes a unit gain buffer having an input to which a predetermined reference voltage is applied, and an output coupled to provide a bias current to the cascode device to pre-charge the bit-line by charging a node of the cascode device to the predetermined reference voltage.

Application/Control Number: 09/989,996 Page 4

Art Unit: 2818

Conclusion

7. Any inquiry concerning this communication should be directed to Connie Yoha whose telephone number is (703) 306-5731. The examiner can normally be reached on

Monday-Thursday from 8:00 A.M. to 5:30 PM.

8. If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, David Nelms, can be reached on (703) 308-4910. The fax phone number

for this Group is (703) 872-9306. Any inquiry of a general nature or relating to the

status of this application or proceeding should be directed to the Group receptionist

whose telephone number is (703) 305-0956.

C.Yoha

September 2003

Connie C. Yoha

Connie Cyde_

Technology 2800